

NOV 01 2005

OFFICIAL**FAX TRANSMITTAL MEMO**

TO:	COMPANY:	FAX #:
Commissioner for Patents	U.S. Patent & Trademark Office	571-273-8300
<p>This communication may contain confidential and/or privileged information intended only for the addressee. DO NOT read, copy or disseminate this communication unless you are the intended addressee. If you have received this communication in error, please contact the sender immediately and discard all copies.</p>		
DATE:	November 1, 2005	
FROM:	Morgan S. Heller II	
OPERATOR:	Karen Jeffer	
CLIENT/MATTER:	08814-00006	
PAGES:	13 (including cover)	MSH

The original will not be sent. If the copy is illegible or incomplete, please call the operator at Direct: (802) 846-8318.

Comments

BTY.255986.1

COURTHOUSE PLAZA ■ 199 MAIN STREET ■ PO BOX 190 ■ BURLINGTON, VT ■ 05402-0190 ■ T: +1.802.863.2376 ■ F: +1.802.862.7512
BURLINGTON, VT ■ ST. JOHNSBURY, VT ■ BRATTLEBORO, VT ■ MONTPELIER, VT ■ LITTLETON, NH ■ WWW.DRM.COM

RECEIVED
CENTRAL FAX CENTER

NOV 01 2005


PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Bruce D. Dike
 Serial No.: 10/721,128
 Filed: November 25, 2003
 Title: Optical System For Forming A Real Image In Space
 Attorney Docket No.: 08814-00006
 Group Art Unit: 2872
 Examiner: John Juba, Jr.

 CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. 571-273-8300, on the date shown below.

 11/01/05
 Morgan S. Heller II Date

Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

November 1, 2005

Response Transmittal

Transmitted herewith for filing is a Response to Final Office Action with regard to the above-identified Application.

No additional fee is required.
 The fee has been calculated as shown below:

P248-10/03

Page 1 of 2

Law Offices of
 Downs Rachlin Martin PLLC
 199 Main Street
 P.O. Box 190
 Burlington, VT 05402-0190
 (802) 863-2375

CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL 27	MINUS	28	=	x \$50.00/ \$25.00 =	\$0.00
INDEPENDENT 4	MINUS	4	=	x \$200.00/ \$100.00 =	\$0.00
1ST PRESENTATION OF MULTIPLE DEP. CLAIMS				\$360.00/ \$180.00 =	\$0.00
				TOTAL	\$0.00

FEES PAYMENT


The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 04-1588.

Any additional filing fees required under 37 C.F.R. §1.16.

Any patent application processing fees under 37 C.F.R. §1.17.

Respectfully submitted,

DOWNS RACHLIN MARTIN PLLC

By: 
 Morgan S. Heller II
 Attorney of Record
 Registration No.: 44,756
 Customer No. 21918
 Tel: (802) 863-2375

BTW.442841.2

P248-10/03

Page 2 of 2

Law Offices of
Downs Rachlin Martin PLLC
 199 Main Street
 P.O. Box 190
 Burlington, VT 05402-0190
 (802) 863-2375

RECEIVED
CENTRAL FAX CENTER

NOV 01 2005


PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Bruce D. Dike
 Serial No.: 10/721,128
 Filed: November 25, 2003
 Title: Optical System For Forming A Real
 Image In Space
 Attorney Docket No.: 08814-00006
 Group Art Unit: 2872
 Examiner: John Juba, Jr.

 CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence is being facsimile
 transmitted to the United States Patent and Trademark Office.
 Fax No. 571-273-8300, on the date shown below.


 11/01/05
 Morgan S. Heller II

Date

Commissioner for Patents
 Alexandria, VA 22313-1450

November 1, 2005

RESPONSE TO FINAL OFFICE ACTION
UNDER 37 C.F.R. § 1.116

This is in response to the Office Action (paper no. 08302005) mailed from the U.S. Patent and Trademark Office on September 1, 2005, with respect to the above-identified patent application. Amendments to the Claims and Remarks concerning the Office Action start, respectively, on the following pages 2 and 6.

Law Offices of
Downs Rachlin Martin PLLC
 199 Main Street
 P.O. Box 190
 Burlington, VT 05402-0190
 (802) 863-2375